

AUTHOR INDEX TO VOLUME 20

Ablin DS, 12–16 Acar O, 37–41 Aibe H, 247–252 Araki A, 126–128 Arger PH, 194–198 Arimizu N, 126–128 Assheuer J, 79–84 Astromoff N, 115–117 Auh YH, 199–203

Babilonti L, 129–132 Baltaro RJ, 50–54 Beauchamp N, 60–63 Behr M, 204–211 Belitsis K, 164–170 Beller U, 42–44 Bewermeyer H, 79–84 Bignault AG, 181–183 Birnbaum BA, 253–255 Bitik M, 37–41 Bizzi A, 99–102 Blanc F, 273–275 Bock H, 55–59 Botash RJ, 17–20 Brant WE, 12–16

Buhr H, 31-36

Çakir B, 37–41
Capaldo G, 17–20
Caroline DF, 112–114
Castillo M, 235–237
Chan P, 26–30
Cherry D, 50–54
Chertow BS, 50–54
Cheung WK, 26–30
Chiou HJ, 26–30
Cho KS, 199–203
Chung YH, 199–203
Coleman BG, 194–198
Costello P, 8–11
Cressa C, 231
Curtin KR, 184–190

Dautel G, 282-285

Delorme S, 31–36 Di Maggio RM, 129–132 Dore R, 129–132 Dorfman HD, 143–146 Driscoll HK, 50–54

Erongun U, 37–41 Eustace S, 178–180 Evans A, 164–170

Faro S, 91–94
Fellner C, 204–211
Fidler ME, 181–183
Fields S, 42–44
Fishman EK, 21–25, 191–193
Fox KR, 253–255
Frager D, 143–146
Frost A, 276–278
Fujii K, 157–163
Fujimoto H, 126–128
Fukui M, 157–163
Fulmer JD, 45–49
Furuta A, 171–177

Gatenby R, 112–114 Ghahremani GG, 184–190 Gmeinwieser J, 204–211 Goldman W, 91–94 Gonzales R, 164–170 Govoni AF, 231, 296 Groskin SA, 64–67 Gudmundsen TE, 256–261 Guilliam-Haidet L, 219–221

Halton KP, 103–111 Haramati N, 143–146 Hasuo K, 157–163 Hedde J-P, 79–84 Held P, 204–211 Higano S, 171–177 Ho K-J, 45–49 Hoeffel C, 282–285 Hoeffel JC, 282–285 Hojer C, 79–84 Horino K, 157–163 Hruban RH, 191–193

Ikehira H, 262–268 Imai H, 262–268 Imazeki Y, 262–268 Inoue T, 262–268 Ishizuya Y, 262–268 Isohara M, 137–139 Itami J, 126–128 Itoh T, 1–7

Jacobs JE, 194–198, 253–255 Jain KA, 12–16 Jeffrey RB Jr, 12–16 Jelic TM, 50–54 Jenkins R, 8–11

Kaji Y, 137-139 Kang EM, 199-203 Kang YS, 115-117 Kasales CJ, 194-198 Kato H, 126-128, 262-268 Katz DS, 64-67 Kauczor H-U, 31-36 Khatri A, 269-272 Kitao M, 137-139 Knopp MV, 31-36 Ko S-F, 133-136 Kobayashi H, 1-7 Koenigsberg RA, 91-94, 95-98 Koga M, 262-268 Kogan G, 103-111 Konishi J, 1-7 Konno H, 171-177 Kramer G, 112-114 Kuhlman JE, 60-63 Kurihara N, 171-177

La Fianza A, 129–132 Laissy J-P, 118–125 Langer JE, 194–198 Larsen DW, 140–142 Lavie O, 42–44 Lee H-J, 164–170 Lee IC, 199–203 Lee L, 115–117 Lee M-G, 199–203 Lee MH, 26–30 Lee T-Y, 133–136 Lewis WD, 8–11 Li S, 85–90 Libson E, 42–44 Lo C-W, 133–136 Loredo R, 212–218

Mah JK, 235-237 Maldjian JA, 164-170 Manning JT, 279-281 Marino R. 91-94 Markisz IA. 295-296 Markus JB, 238-242 Marmuse J-P, 273-275 Masuda K, 157-163 Masuda Y, 262-268 Matsumoto K, 171-177 Matsumoto S, 157-163 McGinnes A, 8-11 Mendelson DS, 103-111 Menu Y, 118-125, 273-275 Menzel J, 79-84 Mercader V, 112-114 Mikata A, 126-128 Mizushima A, 247-252 Molina L, 50-54 Molina PL, 181-183 Molina R, 50-54 Moritz M, 204-211 Murray J, 178-180

Ng S-H, 133–136 Nodine CF, 194–198 Norman D, 140–142

Oliphant M, 17–20 Østensen H, 256–261 Özkal E, 37-41

Pak J, 164–170
Pandey M, 269–272
Parker LA, 181–183
Pathria MN, 212–218
Pedersen HK, 256–261
Penrod BJ, 143–146
Pierre-Jerome F, 99–102
Porter D, 50–54
Poster RB, 64–67
Preda L, 129–132
Pretorius ES, 191–193

Raue F, 31–36 Resnick D, 55–59, 212–218 Rooney MT, 64–67

Sakamoto K, 171-177 Salhany KE, 253-255 Salonen D, 212-218 Santelli ED, 64-67 Sasaki Y. 1-7 Savolaine ER, 85-90 Scheraga IL. 64-67 Sener RN, 243-246 Shaderowfsky PD, 164-170 Shapiro RS, 103-111 Sheils J, 50-54 Sheils W Jr, 50-54 Shiina T, 126-128 Shin MS, 45-49 Shukla R. 269-272 Shukla VK, 269-272 Sibert A, 118-125 Sitzmann IV, 99-102 Smith JK, 235-237 Smith TR, 276-278 Sola JE, 99-102 Solanki HP, 50-54 Sood BP, 269-272 Soyer P, 118-125, 273-275

Stancato-Pasik A, 103-111

Stemerman DH, 112-114

Sterling KM, 103–111 Storti L, 129–132 Sugimura K, 137–139

Takahashi S, 171–177
Tamaru J, 126–128
Tamm EP, 21–25
Tanaka M, 247–252
Tateno Y, 262–268
Teitelbaum GP, 140–142
Tello R, 8–11
Tenti P, 129–132
Terotola SO, 99–102
Tobita M, 171–177
Triest W, 50–54
Trout TE, 55–59
Tsukamoto Y, 157–163
Turz A, 91–94

Uchino A, 157–163, 247–252 Uno T, 126–128 Uygun A, 37–41

Valentine S, 178–180 Van Kaick G, 31–36 Varma DGK, 279–281 Vignaud JM, 282–285 Vinje B, 256–261 Vissuzaine C, 273–275

Watanabe S, 262–268 Weingardt JP, 184–190 Wheeler J, 99–102 Wolansky LJ, 164–170

Yaghmai V, 184–190 Yoshida K, 262–268 Yoshimitsu K, 279–281 Yoshizako T, 137–139

Zeiss J, 219-221



SUBJECT INDEX TO VOLUME 20

Abdomen

imaging routines, in Norwegian hospitals, 256–261 systemic venous enhancement patterns, 103–111

Abdominal pain, lymphoma of large and small bowel, computed tomography, 21–25

Abstracts, 68-77, 147-155, 222-230, 286-294

Actinomycosis, retroperitoneal, 133-136

Acute abdomen, lymphoma of large and small bowel, computed tomography, 21–25

Adrenal glands, primary lymphoma, magnetic resonance imaging, 126–128

Adrenocortical adenoma, calcified, aldosterone-producing, 50–54

Adult respiratory distress syndrome (ARDS), idiopathic, radiography, 1–7

Aldosteronoma, benign, with calcifications, 50-54

Alpers' syndrome, magnetic resonance imaging, 235-237

Alveolar damage, diffuse radiography, 1-7

Alveus, FIRMS, 164-170

Anastomosis, carotid-basilar, 247-252

Aneurysms

chronic dissecting, 262-268

mycotic, computed tomography 26-30

visceral vessel, 99-102

Angiomas, cerebral venous, with hemorrhagic lesions, 157–163

Angiomyolipoma, multifocal, with tuberous sclerosis, 99-102

Apoplexy, pineal, CT/MR imaging, 91-94

Appendicitis, right lower quadrant pain, 12-16

Artifact, CSF flow, 140-142

Back pain, computed tomography, 143-146

Barium

studies, in Norwegian hospitals, 256–261 tablet, esophageal stricture, 184–190

Behçet's disease, inflammatory pseudotumor of terminal ileum mimicking malignancy in, 191–193

Bladder mass, childhood, cystography, 64–67

Blood flow patterns, of true and false lumens in dissecting aneurysms. 262–268

Book Reviews, 231-232, 295-296

Brain abnormalities

magnetic resonance imaging, 235-237

vein of Galen malformation, 243-246

Brain tumor, multiple sclerosis simulating, MRI of, 171-177

Bronchogenic cyst, primary pulmonary chondrosarcoma mimicking, 181–183

Calcifications, adrenal, 50-54

Cancer

cecal, sonographic differential diagnosis, 12-16

cervical, 194-198

endometrial, 194-198

gallbladder, ultrasonography, 269-272

CLINICAL IMAGING 1996;20:301–304 © Elsevier Science Inc., 1996 655 Avenue of the Americas, New York, NY 10010 hepatocellular, 199-203

inflammatory pseudotumor of terminal ileum mimicking, in Behçet's disease, 191–193

intramedullary spinal cord metastases, 238-242

low-grade osteosarcoma, 282-285

malignant vaginal melanoma, 137-139

renal cell, metastatic to ovary, 42-44

thyroid, 31-36

uterine, 194-198

Carcinoid tumor, occluding endobrachial, acquired intralobar bronchopulmonary sequestration secondary to, 178-180

Carotid-basilar anastomosis, persistent trigeminal artery, 247–252

Cavitary nodular lesions, benign leiomyomas metastasizing as, 45-49

Cecal carcinoma, right lower quadrant pain, sonographic differential diagnosis, 12–16

Cerebellopontine angle tumor, magnetic resonance imaging, 85-90

Cerebral cortex, FIRMS, 164-170

Cervical cancer, in peri/postmenopausal women, computed tomography, 194-198

Chemical shift, malignant vaginal melanoma, 137–139

Chest radiography, occult esophageal narrowing with barium tablet detected during, 184–190

Children

Alpers' syndrome, magnetic resonance imaging, 235–237 bladder mass, cystography, 64–67

vertebral osteoblastoma, 37-41

Cholangiography, biliary tree necrosis, transplanted liver, 8-11

Cholecystitis, ultrasonography, 269-272

Cholelithiasis, ultrasonography, 269-272

Chondrosarcoma, primary pulmonary, mimicking bronchogenic cyst, 181–183

Chorioid plexus papilloma, atypical, magnetic resonance imaging, 85–90

Chronic dissecting aneurysms, MR phase-contrast techiques, 262-268

Colitis, right lower quadrant pain, sonographic differential diagnosis, 12–16

Color Doppler flow imaging, of hepatocellular carcinomas, 199-203

Color hues, three-step grading for, color Doppler flow imaging of hepatocellular carcinomas, 199–203

Computed tomography (CT)

acute abdomen, lymphoma of large and small bowel, 21–25 aorta, Salmonella-related mycotic aneurysm of 26–30

back pain, 143-146

benign metastasizing leiomyoma, 45-49

dynamic abdominal, systemic venous enhancement patterns during, 103-111

head and neck mediastinum, 31-36

intrauterine low density in peri/postmenopausal women, 194-198 monostotic fibrous dysplasia, 143-146

multiple sclerosis simulating brain tumor, 171-177

omental caking in Hodgkin's disease, 253-255

pineal gland apoplexy, 91-94

primary pulmonary chondrosarcoma mimicking bronchogenic cyst, 181–183

primitive mucinous cystadenocarcinoma of retroperitoneum, 129–132

renal cell carcinoma metastatic to ovary, 42–44 retroperitoneal granular cell tumor, 279–281

septic thrombophlebitis of inferior mesenteric vein associated with diverticulitis, 115–117

spiral, with three-dimensional reconstruction, 8–11 stellate pattern, retroperitoneal actinomycosis with

intraperitoneal spread, 133-136 vertebral osteoblastoma, 37-41

Contrast medium

cervical and mediastinal CT, 31-36

dynamic abdominal computed tomography, 103–111 hepatic tumors, 118–125

Cricopharyngeus, Zenker's diverticulum, 112-114

Cystadenocarcinoma, primitive mucinous, retroperitoneal, 129–132

Cystography, bladder mass, 64-67

Cysts

bronchogenic, primary pulmonary chondrosarcoma mimicking, 181–183

hemorrhagic pineal, CT/MR imaging, 91-94

Diagnostic radiology, acute abdomen, lymphoma of large and small bowel, 21–25

Differential diagnosis, sonographic, 12-16

Differentiation, hepatic tumor, 118-125

Diffuse alveolar damage, ARDS, radiography, 1-7

Digital clubbing, pachydermoperiostosis, magnetic resonance imaging, 212-218

Diverticulitis

sigmoid, 115-117

Zenker's, 112-114

Doppler flow imaging, color, of hepatocellular carcinomas,

Dural malformation, spontaoneous pulsatile tinnitus secondary to, 95–98

Dynamic computed tomography, abdominal, systemic venous enhancement patterns during, 103-111

Embryology, anomalous inferior vena cava associated with horseshoe kidneys, 276–278

Endometrial cancer, in peri/postmenopausal women, computed tomography, 194–198

Endometrial polyps, in peri/postmenopausal women, computed tomography, 194–198

Endoscopy, in Norwegian hospitals, 256–261

Enhancement patterns, venous, 103-111

Enthesopathy, skeletal, 212-218

Femhagus

imaging routines, in Norwegian hospitals, 256–261 occult stricture, radiography, 184–190

outpouching, Zenker's diverticulum, 112-114

Extraventricular neoplasm, magnetic resonance imaging, 85-90

Fast inversion recovery for myelin suppression (FIRMS), MRI pulse sequence for highlighting cerebral gray matter, 164-170 Fast-spin-echo magnetic resonance imaging, CSF flow artifact, 140–142

Fat-saturation magnetic resonance imaging, malignant vaginal melanoma, 137–139

Fibrous dysplasia, low-grade osteosarcoma of metacarpal bone, radiography, 282–285

Flat-film studies, in Norwegian hospitals, 256-261

Flexor digitorum superficialis, muscular, wrist, 219-221

Flow patterns, of true and false lumens, in dissecting aneurysms, 262–268

Follow-up, computed tomography, of retroperitoneal granular cell tumor, 279–281

Forearm, anomalous muscles about volar aspect of, 219-221

Gadolinium-DOTA-enhanced MR imaging, hepatic tumor differentation, 118–125

Gallbladder diseases, ultrasonography, 269-272

Gastrointestinal imaging, in Norwegian hospitals, 256-261

Gestational trophoblastic disease, magnetic resonance imaging, 60–63

Granular cell tumor, retroperitoneal, computed tomography, 279–281

Gray matter, cerebral, FIRMS for highlighting, 164-170

Hemangiomas, and color Doppler flow imaging of hepatocellular carcinomas, 199–203

Hemorrhage

cerebral venous angiomas associated with, magnetic resonance imaging, 157–163

cystic, pinal gland apoplexy, 91-94

Hepatocellular carcinoma (HCC), color Doppler flow imaging, 199–203

Hippocampus, FIRMS, 164-170

Histopathology, idiopathic adult respiratory distress syndrome, diffuse alveolar damage, 1–7

Hodgkin's disease, omental caking in, computed tomography, 253-255

Horseshoe kidneys, with anomalous inferior vena cava, 276-278

Ileum, terminal, inflammatory pseudotumor of, 191–193
Infants, kaposiform retroperitoneal hemangioendothelioma,
17–20

Inflammatory pseudotumor, terminal ileal, mimicking Behçet's disease, 191–193

Interstitial lung disease, benign leiomyomas metastasizing as, 45-49

Intradural pathology, fast-spin-echo MRI of spine simulating, 140-142

Intralobar bronchopulmonary sequestration, acquired secondary to occluding endobrachial carcinoid tumor, 178–180

Intraperitoneal spread, retroperitoneal actinomycosis, 133–136 Intrauterine low density, in peri/postmenopausal women, computed tomography, 194–198

In utero imaging, kaposiform retroperitoneal hemangioendothelioma, 17–20

Inversion recovery, fast, for myelin suppression, 164-170

Kaposi's sarcoma, and retroperitoneal hemangioendothelioma, with Kasabach-Merritt syndrome, 17–20

Kasabach-Merritt syndrome, congenital kaposiform retroperitoneal hemangioendothelioma with, 17–20 Kidneys angiomyolipomas in, 99–102 horseshoe, with anomalous inferior vena cava, 276–278 Knee, suprapatellar plicae of, soft-tissue mass, 55–59

Large intestine, lymphoma, computed tomography, 21–25 Leiomyosarcoma, liver primary, magnetic resonance imaging, 273–275

Liver

Alpers' syndrome, magnetic resonance imaging, 235–237 angiomyolipomas in, 99–102 cancer, color Doppler flow imaging, 199–203 primary leiomyosarcoma, magnetic resonance imaging, 273–275 scintigraphy, in Norwegian hospitals, 256–261 transplant, biliary tree necrosis, 8–11

tumors, gadolinium-DOTA-enhanced MRI, 118–125 Lumens, true and false, blood flow pattern evaluation, 262–268 Lung disease, interstitial, 45–49

Lymph nodes, angiomyolipomas in, 99–102

Lymphoma

of large and small bowel, computed tomography, 21–25 omental caking in Hodgkin's disease, computed tomography, 253–255

primary adrenal glands, 126-128

Magnetic resonance angiography (MRA)

magnetic resonance, persistent trigeminal artery and its variant, 247-252

spinal, arteriovenous malformations, 79–84 spontaneous pulsatile tinnitus secondary to dural malformation, 95–98

vein of Galen malformation, 243-246

Magnetic resonance imaging (MRI)

Alpers' syndrome, 235-237

anomalous muscles about volar aspect of wrist and forearm, 219–221

atypical choroid plexus papillomas, 85-90

cerebral venous angiomas associated with hemorrhagic lesions, 157–163

disk of temperomandibular joint, 204-211 fast-spin-echo, CSF flow artifact, 140-142

fat-saturation, malignant vaginal melanoma, 137–139

gadolinium-DOTA-enhanced, hepatic tumor differentiation, 118–125

intramedullary spinal cord metastasis, 238-242 multiple sclerosis simulating brain tumor, 171-177

pachydermoperiostosis, 212-218

persistent trigeminal artery and its variant, 247-252

pineal gland apoplexy, 91-94

placental site getational trophoblastic neoplasm, 60-63

primary adrenal lymphoma, 126-128

primary leiomyosarcoma of liver, 273-275

primary pulmonary chondrosarcoma mimicking bronchogenic cyst, 181–183

pulse sequence, FIRMS, 164-170

spinal arteriovenous malformations, 79-84

vertebral osteoblastoma, 37-41

Magnetic resonance phase-contrast technique, chronic dissecting aneurysms, 262–268

Magnetic resonance venography, vein of Galen malformation, 243-246

Malformation, cerebral vascular, magnetic resonance imaging, 157–163 Malignant melanoma, vaginal, 137-139

Mass lesion, multiple sclerosis presenting as, 171-177

Mediastinum, computed tomography, 31-36

Melanoma, malignant, vaginal, 137-139

Mesenteric vein, inferior, septic thrombophlebitis of, 115–117 Metacarpal bones, low-grade osteosarcoma of, radiography, 282–285

Metastasis

leiomyoma, benign, 45-49

renal cell carcinoma, to ovary, 42-44

spinal cord, intramedullary, 238-242

tumor, and color Doppler flow imaging of hepatocellular carcinomas, 199-203

Migration disorders, FIRMS, 164-170

Monostotic fibrous dysplasia, computed tomography, 143–146 Multiple sclerosis, simulating brain tumor, MRI of, 171–177 Muscles, anomalous, magnetic resonance imaging, 219–221

Mycotic aneurysm, Salmonella-related, of aorta 26-30

Myelin suppression, fast inversion recovery for, 164-170

Narrowing, esophageal, 184-190

Neck, upper, computed tomography, 31-36

Necrosis, biliary tree, transplanted liver, 8-11

Neoplasms

aldosterone-secreting, 50-54

extraventricular, magnetic resonance imaging, 85-90 gestational trophoblastic, 60-63

gestational trophoblastic, 60-6

head and neck, 31-36

hepatic, gadolinium-DOTA-enhanced MRI, 118-125

omental caking in Hodgkin, 253-255

primary, 37-41

primary leiomyosarcoma of liver, 273-275

renal cell carcinoma metastatic to ovary, 42-44

spinal cord, 238-242

vaginal, 137-139

Neuronal degeneration, Alpers' syndrome, magnetic resonance imaging, 235–237

Neuropathy, wrist and forearm muscle, magnetic resonance imaging, 219–221

Non-Hodgkin's B-cell lymphoma, adrenal gland involvment, magnetic resonance imaging, 126–128

Norwegian hospitals, imaging routines in, 256-261

Note of Thanks, 297-298

Occult lesions, esophageal, 184-190

Omental caking, in Hodgkin's disease, computed tomography, 253-255

Osteosarcoma, low-grade, metacarpal bone, 282-285

Ovary

renal cell carcinoma metastatic to, 42-44

torsion, right lower quadrant pain, sonographic differential diagnosis, 12–16

tumors, primitive mucinous cystadenocarcinoma of retroperitoneum, 129-132

Pachydermoperiostosis, magnetic resonance imaging, 212–218
Papillomas, atypical choroid plexus, magnetic resonance
imaging, 85–90

Pathology, intradural, fast-spin-echo MRI of spine simulating, 140-142

Pathology-radiology correlations, idiopathic adult respiratory distress syndrome, diffuse alveolar damage, 1-7 Periostitis, pachydermoperiostosis, magnetic resonance imaging, 212–218

Peri/postmenopausal women, intrauterine low density in, coputed tomography, 194-198

Peritoneum, retroperitoneal actinomycosis, 133-136

Persistent trigeminal artery, MR imaging and MR angiography, 247–252

Pharyngeal space, poterior, Zenker's diverticulum, 112–114 Phase-contrast technique, magnetic resonance, chronic dissecting aneurysms, 262–268

Pineal gland, apoplexy, CT/MR imaging, 91–94 Placental site trophoblastic tumors, magnetic resonance imaging, 60–63

Plicae, suprapatellar, soft-tissue mass, 55-59

Pneumoperitoneum, lymphoma, computed tomography, 21–25 Polyns

endometrial, in peri/postmenopausal women, 194–198 gallbladder, ultrasonography, 269–272

Progressive cerebral poliodystrophy, Alpers' syndrome, magnetic resonance imaging, 235–237

Pseudotumor, inflammatory, terminal ileal, 191–193 Pulmonary chondrosarcoma, primary, mimicking bronchogenic cyst, 181–183

Pulsatile flow, CSF, 140-142

Radiography

idiopathic adult respiratory distress syndrome, diffuse alveolar damage, 1-7

low-grade osteosarcoma of metacarpal bone, 282–285 Radiology, diagnostic, lymphoma of large and small bowel, 21–25

Rapid imaging, hepatic tumor differentiation, 118–125 Retroperitoneum

granular cell tumor, computed tomography; 279–281 primitive mucinous cystadenocarcinoma of, 129–132

Right lower quadrant pain, sonographic differential diagnosis, 12–16

Scintigraphy, liver, in Norwegian hospitals, 256–261
 Sclerosis, hippocampal, FIRMS, 164–170
 Septa, enhancing, bilateral adrenal tumors, 126–128
 Septic thrombophlebitis, of inferior mesenteric vein, diverticulitis with, 115–117

Sigmoid diverticulitis, septic thrombophlebitis, inferior mesenteric vein and, 115–117

Skeletal enthesopathy, pachydermoperiostosis, magnetic resonance imaging, 212–218

Small intestine

imaging routines, in Norwegian hospitals, 256–261 lymphoma, computed tomography, 21–25

Soft-tissue mass, suprapatellar bursa, 55–59

Spine

angiography, arteriovenous malformations, 79–84 fast-spin-echo MRI, CSF flow artifact, 140–142 intramedullary metastasis, magnetic resonance imaging, 238–242

vertebral osteoblastoma, benign, 37-41

Spiral computed tomography, with three-dimensional reconstruction, liver transplant, 8-11

Stellate pattern, on CT, retroperitoneal actinomycosis with intraperitoneal spread, 133–136

Subarachnoid space, spinal, fast-spin-echo MRI, 140–142 Suprapatellar bursa, soft-tissue mass, 55–59

Tamoxifen therapy, benign metastasizing leiomyoma/, 45–49Temperomandibular joint (TMJ), disk, magnetic resonance imaging, 204–211

Terminal ileum, inflammatory pseudotumor of, 191–193 Three-dimensional reconstruction, spiral CT with, biliary tree necrosis, 8–11

Thrombophlebitis, septic, of inferior mesenteric vein, 115–117 Thrombosis, systems venous enhancement patterns, 103–111 Thyroid neoplasms, contrast-enhanced computed tomography, 31–36

Tinnitus, pulsatile, seconadary to dural malformation, 95 Torsion, ovarian, sonographic differential diagnosis, 12–16 Tracheal narrowing, Zenker's diverticulum, 112–114 Transplantation, liver, biliary tree necrosis, 8–11 Trigeminal artery, persistent, 247–252

Trophoblastic tumors, placental site, magnetic resonance imaging, 60–63

Tuberous sclerosis, multifocal angiomyolipoma with, 99-102 Tumors

brain, MRI of multiple sclerosis simulating, 171–177 carcinoid, 178–180

cerebellopontine angle, 85-90

hepatic, gadolinium-DOTA-enhanced MR imaging, 118–125 metastasis, and color Doppler flow imaging of hepatocellular carcinomas, 199–203

primary leiomyosarcoma of liver, 273–275 retroperitoneal granular cell, 279–281

Ultrasonography

Doppler color, of hepatocellular carcinomas, 199–203 gallbladder diseases, 269–272 primitive mucinous cystadenocarcinoma of retroperitoneum,

129-132

renal cell carcinoma metastatic to ovary, 42–44
Ureter, retroperitoneal actinomycosis with intraperitoneal spread, 133–136

Uterine leiomyoma, benign, metastatic, 45-49

Vagina, malignant melanoma, fat-saturation MRI, 137–139 Variant, persistent trigeminal artery, 247–252 Vein of Galen, malformation, magnetic resonance angiography, 243–246

Veins, systemic, enhancement patterns, 103–111 Vena cava, anomalous inferior, with horseshoe kidneys, 276–278

Venography, magnetic resonance, Galen malformation, 243–246 Venous angiomas, cerebral, with hemorrhagic lesions, 157–163 Vertebral osteoblastoma, benign, CT and MRI, 37–41 Volar aspect, of wrist and forarm, muscle anomalies, 219–221

White matter, FIRMS, 164–170 Wrist, anomalous muscles about volar aspect of, 219–221

Zenker's diverticulum, unusual presentation, 112-114

